

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1999

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- ☒ Coloured covers / Couverture de couleur
- ☐ Covers damaged / Couverture endommagée
- ☐ Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- ☐ Cover title missing / Le titre de couverture manque
- ☐ Coloured maps / Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- ☐ Bound with other material / Relié avec d'autres documents
- ☐ Only edition available / Seule édition disponible
- ☐ Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- ☐ Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- ☒ Additional comments. Continuous pagination.
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages / Pages de couleur
- ☐ Pages damaged / Pages endommagées
- ☐ Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- ☐ Pages detached / Pages détachées
- ☒ Showthrough / Transparence
- ☐ Quality of print varies / Qualité inégale de l'impression
- ☐ Includes supplementary material / Comprend du matériel supplémentaire
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- ☐ Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	12x	14x	16x	18x	20x	22x	24x	26x	28x	30x	32x
									☒		

The copy filmed here has been reproduced thanks to the generosity of:



École polytechnique,
Université de Montréal,
Bibliothèque

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


École polytechnique,
Université de Montréal,
Bibliothèque

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "À SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



DEPARTMENT OF THE INTERIOR

CANADA

HON. W. J. ROCHE, *Minister.*

W. W. CORY, C.M.G., *Deputy Minister.*

1915
PUBLICATIONS
OF THE

Dominion Observatory

OTTAWA

W. F. KING, C.M.G., LL.D., *Director.*

Vol. II, No. 7

A Meteor Star Atlas

BY

REYNOLD E. YOUNG, Ph.D.

OTTAWA
GOVERNMENT PRINTING BUREAU
1915

D
CAL
MT 403
P02-07

ECOLE POLYTECHNIQUE BIBLIOTHEQUE

DEPARTMENT OF THE INTERIOR
CANADA

HON. W. J. ROCHF, *Minister.*

W. W. CORY, C.M.G., *Deputy Minister.*

PUBLICATIONS

OF THE

Dominion Observatory

OTTAWA

W. F. KING, C.M.G., LL.D., *Director.*

Vol. II, No. 7

A Meteor Star Atlas

BY

REYNOLD K. YOUNG, Ph.D.

OTTAWA
GOVERNMENT PRINTING BUREAU
1915

CH1

MT001

102-001

A METEOR STAR ATLAS

BY REYNOLD K. YOUNG, Ph. D

The following set of twenty maps is intended to facilitate the observation of meteors and the plotting of their paths. As is well known, the observed track of a meteor is nearly an arc of a great circle and is therefore conveniently plotted on a map where great circles are represented by straight lines. The accompanying charts are constructed on the gnomonic or central projection which gives this desired property.

It is not easy to calculate what amount of error will be introduced by using a map constructed by other projections, because it will depend on several factors; the fraction of the sky covered by one chart, the distance of the meteor track from the radiant and also the particular projection used. It is safe to say, however, that in many cases the error will be more than five degrees, that is to say that a path which has been correctly observed, if produced backward on a map with unsuitable projection, may not pass within five degrees of the radiant. Of course the difficulty arising from projection may be eliminated by using a celestial globe but in general a globe is awkward to handle. Also a record of observations would be hard to preserve if plotted on such a globe.

The epoch is taken at 1900. All stars given in the Revised Harvard Photometry, volume fifty, as brighter than 5.0 have been plotted. Variables whose maxima are brighter than 5.0 have been entered. The size of the circles indicates the brightness of the stars. The smallest marked five indicates magnitudes as faint or fainter than 4.6. Those marked four indicate magnitudes lying between 4.5 4.1 and 4.0 3.6 and so on. Those marked zero indicate magnitudes brighter than 0.6. In choosing a scale for the representation of magnitudes, one has to bear in mind that the relative apparent brightness of the stars varies from night to night. The bright stars stand out relatively strong on a clear moonlight night, while on a moonless night the immense number of faint stars

visible, renders the bright stars less conspicuous. The clearness of the atmosphere also affects the appearance of the stars. The best one can do is to strike an average. A normal appearance of the maps is more nearly approached, if all constellation boundaries and star names are omitted. It has become so general however to think of the stars by name and constellation, that it would seriously detract from the usefulness of the maps to omit these features. Nevertheless nothing has been plotted which was deemed unnecessary and which might confuse the maps. The right ascension circles for every hour and the declination circles for every ten degrees have been drawn. In order to make the readings of positions from the maps easier, the intermediate positions of the right ascension circles for every twenty minutes and the declination circles for every five degrees have been indicated. This procedure avoids the confusion which results if all the circles are drawn in full.

It is hoped that the positions will in general be found correct to within one-tenth of one degree. In reading of positions more accuracy can be obtained by measuring rectangular co-ordinates and then computing the right ascension and declination than by estimating the distances from the neighbouring hour and declination circles. For those who may desire to compute the positions, the method of construction of the maps and the constants used in the projection are outlined.

For the circumpolar map, the celestial sphere is imagined cut by a plane which includes a segment of the sphere sixty degrees in diameter. Any point in this segment is projected on the plane by joining it to the centre of the sphere. The north celestial pole may be called the axis of projection. The right ascension circles are straight lines uniformly distributed around the pole and the declination circles remain circles, the distances from the pole being given by the formula

$$r = 5.33 \cot \delta,$$

where r is the radius of the circle in inches and δ is the declination of the circle under consideration.

For the next six maps, the axis of projection lies at plus forty-five degrees declination and right ascension successively zero hours, four hours, twenty hours. If we call the axis of projection of any map the

at (6, 0) in cartesian co-ordinates, x being the abscissa and y the ordinate, δ the declination of a star and (a) the angle between the hour circle passing through the axis of projection and that one passing through the star, the following relations hold:

$$x = 5.33 \sqrt{2} \frac{\tan(a) \cot \delta}{\sec(a) + \cot \delta} \quad (1)$$

$$y = 5.33 \frac{\sec(a) - \cot \delta}{\sec(a) + \cot \delta} \quad (2)$$

The equation to the right ascension circles is

$$x = \frac{\tan(a)}{\sqrt{2}} [5.33 - y] \quad (3)$$

and to the declination circles

$$[5.33 - y]^2 - [5.33 + y]^2 \cot^2 \delta + 2x^2 = 0 \quad (4)$$

The axis of projection for the next set of six maps lies on the equator and at right ascensions, zero hours, four hours, as before. With the same notation,

$$x = 5.33 \tan(a) \quad (5)$$

$$y = 5.33 \sec(a) \tan \delta. \quad (6)$$

The equation to the right ascension circles is

$$x = 5.33 \tan(a) \quad (7)$$

and to the declination circles

$$y^2 \cot^2 \delta - x^2 = (5.33)^2 \quad (8)$$

In the next set of six maps the axis of projection lies at minus forty-five degrees of declination and the relations are the same as for plus forty-five. The southern circumpolar map is similar to the northern circumpolar one. The co-ordinates are measured in inches. The method of computing the position of a point on the chart by means of the foregoing relations will now be illustrated by an example.

Let it be required to find the position of α Arietis from the first chart of the set whose axis of projection lies at plus forty-five degrees declination. By measurement $x = 2.94$ inches. $y = -1.81$ inches. Substituting these values in equation (3)

$$(a) = 30^{\circ} 30'$$


α of center of map equals zero, therefore right ascension of α Arietis is $2^h 1^m 2$. Either equation (1) or (2) will now serve to determine δ . Substituting in (1) we obtain $\delta = +22^{\circ} 59'$.

The numerical coefficients in the preceding equations and also the measurements in the example were computed on the basis of the width of the maps being nine inches. The maps vary in size to some extent, and many of them have become slightly distorted in the process of reproduction. Probably the best method to pursue in attempting to compute a position, is to first measure the rectangular co-ordinates of the nearest intersection of right ascension and declination circles. This computation will give the correction, if any, that should be applied to that portion of the map to eliminate any error arising from distortion or shrinkage of the paper.


Dominion Observatory.


Ottawa.

March, 1915.





MAP I.







Map II.







Map III







MAP IV.







Map V.







Map VI.









Mar VIII.







MAY 19









Map VI






Map. VII













MAP XIV







MAP XV.






MAP XVI






MAP XVII.







MAP XVIII.









Map XX.

